

Vegetable Crop Tech Sheet

Analysis

	Copper as Cuprous Oxide	Zinc as Zinc Oxide	Manganese as Manganese Carbonate
Verno Copper + Zinc	300g/kg	300g/kg	-
Verno Manganese	-	-	340g/kg
Verno Trio	150g/kg	150g/kg	160g/kg

- Water dispersible granule formulation for free flowing ease of handling and low dust.
- Verno foliar fertilisers can be mixed in any ratio for the desired balance of copper, zinc and manganese.
- All Verno products are compatible with each other and can be blended to achieve the right balance of micronutrients. The products are also compatible with a wide range of fungicides, insecticides, herbicides and fertilisers when the spray solution is above pH6.0.

Vegetable Crops

Suitable for most vegetable crops including:

- Allium onions, garlic, leeks
- Brassicas broccoli, cauliflower, cabbage
- Curcurbits melons, pumpkin, zucchini
- Leafy vegetables spinach, leaf beet
- Legumes chickpeas, soybeans, peas
- Perenials asparagus
- Root vegetables carrot, beetroot, radish
- Salad vegetables lettuce, celery
- Solanaceae capsicum, tomatoes, eggplant, potatoes, chillies



Foliar applied fertiliser for the correction of micronutrient deficiencies.

Verno contains micronised particles which adhere strongly to plant surfaces, providing a reservoir of slow release micronutrients that are readily available to the plant.









Foliar Application by Boomspray or Aerial

Verno Copper + Zinc @ 100-500g/ha Verno Manganese @ 100-500g/ha Verno Trio @ 100-500g/ha

The recommended concentration applies to a single Verno product or a combination of Verno products. (Maximum concentration 5g/L)

Low 250g/ha multiple applications from an early growth stage are most effective, at fortnightly intervals.

Mixing Instructions

- Fill the spray tank to 3/4 with water, then add the required amount of Verno granules to the tank with continuous vigorous agitation.
- Completely disperse the granules in the spray tank before adding any other mixing partners.
- Continuous vigorous agitation is required to maintain suspension of the micronised particles.
- Do not mix with other products prior to complete suspension. Mixing with other products is not recommended unless the compatibility is confirmed by the manufacturer of that product.
- When applying mixtures of Verno products, the suggested rate and concentration applies to the total of the combined products. Care should be taken to not exceed the maximum rate and concentration for application at that growth stage.
- Maximum 5g/L spray tank concentration.
- Constant agitation is required to maintain Verno in suspension.



For more information

P +61 7 4639 2009 E office@tanuki.com.au

Tanuki Pty Ltd 27 Heinemann Road Wellcamp QLD 4350 Australia

verno.com.au

While Tanuki Pty Ltd has taken all responsible care in the preparation of this technical sheet, the information is a guide only and should not be relied upon as a substitute for you seeking professional advice in relation to the use of Verno products. Verno is a registered trademark of Nordox AS.

